

Calcein staining of Zebrafish Larvae

1. Transfer larvae to water + 0.2% Calcein for 10 minutes
2. Briefly rinse larvae in water
3. Perform two or three 5-minute rinses in water
4. Immobilize larvae in 0.005% Tricaine
5. Mount in 0.8% low melt agarose with Tricaine dropped on surface
6. Image with THUNDER Stereoscope

Reagent

Calcein (C0875, Sigma-Aldrich)